



## Digital resonant laser printing: Bridging nanophotonic science and consumer products

**Zhu, Xiaolong; Keshavarz Hedayati, Mehdi; Raza, Søren; Levy, Uriel; Mortensen, N. Asger; Kristensen, Anders**

*Published in:*  
Nano Today

*Link to article, DOI:*  
[10.1016/j.nantod.2017.10.002](https://doi.org/10.1016/j.nantod.2017.10.002)

*Publication date:*  
2018

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*  
Zhu, X., Keshavarz Hedayati, M., Raza, S., Levy, U., Mortensen, N. A., & Kristensen, A. (2018). Digital resonant laser printing: Bridging nanophotonic science and consumer products. *Nano Today*, 19, 7-10.  
<https://doi.org/10.1016/j.nantod.2017.10.002>

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal


If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



Contents lists available at ScienceDirect

Nano Today

journal homepage: [www.elsevier.com/locate/nanotoday](http://www.elsevier.com/locate/nanotoday)



News and opinions

## Digital resonant laser printing: Bridging nanophotonic science and consumer products

Xiaolong Zhu<sup>a</sup>, Mehdi Keshavarz Hedayati<sup>a</sup>, Søren Raza<sup>a</sup>, Uriel Levy<sup>b</sup>,  
N. Asger Mortensen<sup>c</sup>, Anders Kristensen<sup>a,\*</sup>

<sup>a</sup> Department of Micro and Nanotechnology, Technical University of Denmark, DK-2800 Kongens Lyngby, Denmark

<sup>b</sup> Department of Applied Physics, The Hebrew University of Jerusalem, Jerusalem 91904, Israel

<sup>c</sup> Center for Nano Optics & Danish Institute for Advanced Study, University of Southern Denmark, Campusvej 55, DK-5230 Odense M, Denmark

### ARTICLE INFO

#### Article history:

Received 1 September 2017

Accepted 16 October 2017

Available online xxx

#### Keywords:

Laser-printing

Structural colors

Metasurfaces

High-index dielectrics

Resonators

Super-resolution

Flat optics

### ABSTRACT

Nanophotonics research relies heavily on state-of-the-art and costly nano and microfabrication technologies. While such technologies are fairly mature, their implementation in large-scale manufacturing of photonic devices is not straightforward. This is a major roadblock for integrating nanophotonic functionalities, such as flat optics or high definition, ink-free color printing, into real life applications. In particular, optical metasurfaces – nanoscale textured surfaces with engineered optical properties – hold great potential for a myriad of such applications. Digital laser printing has recently been introduced as a low-cost lithography solution, which allows the fabrication of high-resolution features on optical substrates. By exploiting resonant opto-thermal modification of individual nanoscale elements, laser printing can achieve nanometer-sized resolution. In addition, the concept of digital resonant laser printing at the nanoscale supports mass-customization and may therefore convert nanophotonic science into everyday consumer products.

© 2017 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).

Photonic science drives our colorful world from medieval stained glass to interactive smart screens. Current technological breakthroughs, such as virtual and augmented reality and quantum computers, rely on manipulating light in a desired fashion. Enabled by nano and microfabrication technologies, nanophotonics research offers the ultimate control of light with the help of nanoscale metallic or dielectric structures. One example is functional metasurfaces [1,2] with structured meta-atoms, which use either plasmonic or high-index dielectric materials for, e.g., color generation [3–5], flat optics [6], or invisibility cloaking [7]. Metasurfaces rely on the ability to precisely control its individual meta-atoms, including material and morphology composition, geometry, orientation, and the mutual position of all meta-atoms. By full spatial control over light, metasurfaces allow for engineering scattering spectra as well as the optical wave-front. Metasurfaces are commonly realized by complex nanofabrication techniques for master origination. This is an obstacle to reach consumer products.

A digital resonant laser printing (DRLP) technique was recently developed as a flexible post-writing technology for mass-customization of optical meta-surfaces [8–10] (Fig. 1). Strong on-resonance energy absorption under pulsed laser irradiation locally elevates the lattice temperature of individual meta-atoms in an ultra-short time scale [11]. This was demonstrated for both plasmonic [12–14], and high-index dielectric meta-surfaces [9]. In the DRLP process, rapid melting allows for surface-energy-driven morphology changes and sintering/annealing [15] of individual meta-atoms with associated modification of amplitude, phase and polarization of the reflected and transmitted light from the metasurface. Combined with the use of large-area metasurface templates [16,17], DRLP is a promising approach for low-cost customized photonic devices with subwavelength elements for applications in areas such as holograms, anti-counterfeit and virtual reality.

Metal surfaces have already been successfully modified [18] and coloured with femto and picosecond laser pulses [19,20] or CO<sub>2</sub> lasers [21]. High-density information storage has also been explored by laser heating of gold nanorods dispersed in layered polymers [22]. Further immediate applications of DRLP include fabrication of flat lenses (metalenses) with large numerical aperture


\* Corresponding author.

E-mail address: [anders.kristensen@nanotech.dtu.dk](mailto:anders.kristensen@nanotech.dtu.dk) (A. Kristensen).

URL: <http://www.nanotech.dtu.dk> (A. Kristensen).

<https://doi.org/10.1016/j.nantod.2017.10.002>

1748-0132/© 2017 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).



**Fig. 1.** Digital resonant laser printing holds potential for large-scale processing of optical metasurfaces, with the potential to levitate nanophotonics to new levels where it may enter a myriad of real-life applications.

[23] without use of expensive and time-consuming electron-beam lithography. Laser-written large-area metasurfaces can also be implemented in solar cells and photodetectors to increase performance without the concomitant dramatic increase in price.

Besides the significant benefits in applied research, DRLP also opens new avenues in fundamental research in nanophotonics. In addition to morphological changes of plasmonic nanostructures [24–26], DRLP allows for changing the crystallinity of the meta-atom material. Nanosecond laser pulses can change silicon meta-atoms from amorphous to crystalline [27], which is accompanied by a large change in the refractive index. This phase change is reversible [28], allowing for rewritable metasurfaces – a topic currently being pursued with more traditional phase-change materials [29]. Fabrication of meta-atoms made from alloys is an alternative approach. Targeting only one of the materials with the laser, the meta-atom composition, and thereby the optical response, can be gradually controlled. Multimaterial meta-atom designs are largely unexplored, but have potential for realizing hyperbolic metasurfaces [30] for quantum-information applications [31].

Looking beyond photonics, we anticipate application wherein the nanoscale manipulation of the structure or constituents of a compound is desired. As an example, the resonant nature of DRLP can be used in polymer welding for expanding the material selection from traditional absorbing polymers [32] or polymer-metal composites [33] to non-absorbing or additive-free counterparts. This allows for polymer welding without toxic elements, important for e.g. bio-medical applications [34]. Localized de-alloying of solid solution alloys – selective corrosion of one or more elements of alloys – can be realized in fraction of seconds by DRLP (contrasting slow chemical methods [35]). Likewise, pre-defined porous substance with extremely high surface area and low refractive index can be realized. The former can be profound for applications in catalysis [36] and surface chemistry [37], while the latter is highly desired e.g. for anti-reflective coatings in solar cells [38]. The high temperature in DRLP can also be exploited to locally oxidize or

nitridize metals to locally functionalize otherwise passive films. For instance, localized oxidation of titanium via DRLP can be used to construct smart surfaces where the wettability can be tailored on the nanoscale: Pure titanium is hydrophilic, while DRLP-written titanium oxide areas are hydrophobic. Such surfaces can find application as anti-icing (icephobic) surfaces among others [39].

Post-processing large areas of nanostructures is highly desirable for adaptable and low-cost applications, which can have a strong impact on the industrialization of these devices. The diversity of the nanophotonic products naturally requests the development of efficient, universal and high-quality technologies, which should also be ready for the production-chain in industry. With the sub-diffraction-limited precision and the ultrafast feature, high-performance DRLP may be a game-changer in enabling, controlling, and enhancing the nowadays nanophotonic devices as well as other fundamental and functional applications.


### Acknowledgements

This work was supported by the European Commission through the H2020 FET-OPEN project CHROMAVISION (Grant Agreement No. 665233) and H2020-NMP-PILOTS IZADI-NANO2INDUSTRY (Grant Agreement No. 686165), and by the International Network Programme of the Danish Agency for Science, Technology and Innovation (1370-00124B and 4070-00158B). This project has received funding from the European Union's Horizon 2020 research and innovation programme under the Marie Skłodowska-Curie grant agreement No. 701597. N.A.M. is a VILLUM Investigator (grant No. 16498) and X.Z. is funded by VILLUM Experiment (grant No. 17400), both supported by VILLUM FONDEN.


### References

- [1] H.-H. Hsiao, C.H. Chu, D.P. Tsai, Fundamentals and applications of metasurfaces, *Small Methods* 1 (4) (2017) 1600064, <http://dx.doi.org/10.1002/smt.201600064>.

- [2] F. Ding, A. Pors, S.I. Bozhevolnyi, Gradient metasurfaces: fundamentals and applications, *Rep. Prog. Phys.* 80 (2017), <http://dx.doi.org/10.1088/1361-6633/aa8732> (in press).
- [3] A. Kristensen, J.K.W. Yang, S.I. Bozhevolnyi, S. Link, P. Nordlander, N.J. Halas, N.A. Mortensen, Plasmonic colour generation, *Nat. Rev. Mater.* 2 (2016) 16088, <http://dx.doi.org/10.1038/natrevmats.2016.88>.
- [4] M.K. Hedayati, M. Elbahri, Review of metasurface plasmonic structural color, *Plasmonics* 12 (5) (2017) 1463–1479, <http://dx.doi.org/10.1007/s11468-016-0407-y>.
- [5] S. Sun, Z. Zhou, C. Zhang, Y. Gao, Z. Duan, S. Xiao, Q. Song, All-dielectric full-color printing with TiO<sub>2</sub> metasurfaces, *ACS Nano* 11 (5) (2017) 4445–4452, <http://dx.doi.org/10.1021/acsnano.7b00415>.
- [6] H. Chen, A.M. Bhuiya, Q. Ding, H.T. Johnson, K.C. Toussaint Jr., Towards do-it-yourself planar optical components using plasmon-assisted etching, *Nat. Commun.* 7 (2016) 10468, <http://dx.doi.org/10.1038/ncomms10468>.
- [7] X. Ni, Z.J. Wong, M. Mrejen, Y. Wang, X. Zhang, An ultrathin invisibility skin cloak for visible light, *Science* 349 (6254) (2015) 1310–1314, <http://dx.doi.org/10.1126/science.1259411>.
- [8] X. Zhu, C. Vannahme, E. Højlund-Nielsen, N.A. Mortensen, A. Kristensen, Plasmonic colour laser printing, *Nat. Nanotechnol.* 11 (4) (2016) 325–329, <http://dx.doi.org/10.1038/nnano.2015.285>.
- [9] X. Zhu, W. Yan, U. Levy, N.A. Mortensen, A. Kristensen, Resonant-laser-printing of structural colors on high-index dielectric metasurfaces, *Sci. Adv.* 3 (5) (2017) e1602487, <http://dx.doi.org/10.1126/sciadv.1602487>.
- [10] M.S. Carstensen, X. Zhu, O. Iyore, N.A. Mortensen, U. Levy, A. Kristensen, Holographic resonant laser printing of flat optics using template plasmonic metasurfaces, *arXiv:1708.05571*.
- [11] Sergey V. Makarov, Anastasia S. Zalogina, Mohammad Tajik, Dmitry A. Zuev, Mikhail V. Rybin, Aleksandr A. Kuchmizhak, Saulius Juodkazis, Yuri Kivshar, Light-induced tuning and reconfiguration of nanophotonic structures, *Laser Photonics Rev.* 11 (5) (2017) 1700108.
- [12] A.O. Govorov, H.H. Richardson, Generating heat with metal nanoparticles, *Nano Today* 2 (1) (2007) 30–38, [http://dx.doi.org/10.1016/S1748-0132\(07\)70017-8](http://dx.doi.org/10.1016/S1748-0132(07)70017-8).
- [13] G. Baffou, H. Rigneault, Femtosecond-pulsed optical heating of gold nanoparticles, *Phys. Rev. B* 84 (3) (2011) 035415, <http://dx.doi.org/10.1103/PhysRevB.84.035415>.
- [14] G. Baffou, R. Quidant, Thermo-plasmonics: using metallic nanostructures as nano-sources of heat, *Laser Photon. Rev.* 7 (2) (2013) 171–187, <http://dx.doi.org/10.1002/lpor.201200003>.
- [15] F. Zhang, J. Proust, D. Gérard, J. Plain, J. Martin, Reduction of plasmon damping in aluminum nanoparticles with rapid thermal annealing, *J. Phys. Chem. C* 121 (13) (2017) 7429–7434, <http://dx.doi.org/10.1021/acs.jpcc.7b00909>.
- [16] J.S. Clausen, E. Højlund-Nielsen, A.B. Christiansen, S. Yazdi, M. Grajower, H. Taha, U. Levy, A. Kristensen, N.A. Mortensen, Plasmonic metasurfaces for coloration of plastic consumer products, *Nano Lett.* 14 (8) (2014) 4499–4504, <http://dx.doi.org/10.1021/nl5014986>.
- [17] E. Højlund-Nielsen, J.S. Clausen, T. Mäkelä, L.H. Thamdrup, M. Zalkovskij, T. Nielsen, N. Li Pira, J. Ahoelto, N.A. Mortensen, A. Kristensen, Plasmonic colors: toward mass production of metasurfaces, *Adv. Mater. Technol.* 1 (7) (2016) 1600054, <http://dx.doi.org/10.1002/admt.201600054>.
- [18] B.N. Chichkov, C. Momma, S. Nolte, F. von Alvensleben, A. Tünnermann, Femtosecond, picosecond and nanosecond laser ablation of solids, *Appl. Phys. A* 63 (2) (1996) 109–115, <http://dx.doi.org/10.1007/BF01567637>.
- [19] J.-M. Guay, A.C. Lesina, G. Côté, M. Charron, D. Poitras, L. Ramunno, P. Berini, A. Weck, Laser-induced plasmonic colours on metals, *Nat. Commun.* 8 (2017) 16095, <http://dx.doi.org/10.1038/ncomms16095>.
- [20] A.Y. Vorobyev, C. Guoa, Colorizing metals with femtosecond laser pulses, *Appl. Phys. Lett.* 92 (4) (2008) 041914, <http://dx.doi.org/10.1063/1.2834902>.
- [21] M.D. Ooms, Y. Jeyaram, D. Sinton, Disposable plasmonics: rapid and inexpensive large area patterning of plasmonic structures with CO<sub>2</sub> laser annealing, *Langmuir* 31 (18) (2015) 5252–5258, <http://dx.doi.org/10.1021/acs.langmuir.5b01092>.
- [22] P. Zijlstra, J.W.M. Chon, M. Gu, Five-dimensional optical recording mediated by surface plasmons in gold nanorods, *Nature* 459 (7245) (2009) 410–413, <http://dx.doi.org/10.1038/nature08053>.
- [23] M. Khorasaninejad, W.T. Chen, R.C. Devlin, J. Oh, A.Y. Zhu, F. Capasso, Metalenses at visible wavelengths: diffraction-limited focusing and subwavelength resolution imaging, *Science* 352 (6290) (2016) 1190–1194, <http://dx.doi.org/10.1126/science.1250644>.
- [24] X. Chen, Y. Chen, M. Yan, M. Qiu, Nanosecond photothermal effects in plasmonic nanostructures, *ACS Nano* 6 (3) (2012) 2550–2557, <http://dx.doi.org/10.1021/nn2050032>.
- [25] X. Chen, Y. Chen, J. Dai, M. Yan, D. Zhao, Q. Li, M. Qiu, Ordered Au nanocrystals on a substrate formed by light-induced rapid annealing, *Nanoscale* 6 (3) (2014) 1756–1762, <http://dx.doi.org/10.1039/C3NR05745C>.
- [26] D.A. Zuev, S.V. Makarov, I.S. Mukhin, V.A. Milichko, S.V. Starikov, I.A. Morozov, I.I. Shishkin, A.E. Krasnok, P.A. Belov, Fabrication of hybrid nanostructures via nanoscale laser-induced reshaping for advanced light manipulation, *Adv. Mater.* 28 (16) (2016) 3087–3093, <http://dx.doi.org/10.1002/adma.201505346>.
- [27] U. Zywietz, A.B. Evlyukhin, C. Reinhardt, B.N. Chichkov, Laser printing of silicon nanoparticles with resonant optical electric and magnetic responses, *Nat. Commun.* 5 (2014) 3402, <http://dx.doi.org/10.1038/ncomms4402>.
- [28] R. Tsu, R.T. Hodgson, T.Y. Tan, J.E. Baglin, Order-disorder transition in single-crystal silicon induced by pulsed UV laser irradiation, *Phys. Rev. Lett.* 42 (20) (1979) 1356, <http://dx.doi.org/10.1103/PhysRevLett.42.1356>.
- [29] Q. Wang, E.T.F. Rogers, B. Gholipour, C.-M. Wang, G. Yuan, J. Teng, N.I. Zheludev, Optically reconfigurable metasurfaces and photonic devices based on phase change materials, *Nat. Photonics* 10 (1) (2016) 60–65, <http://dx.doi.org/10.1038/NPHOTON.2015.247>.
- [30] A.A. High, R.C. Devlin, A. Dibos, M. Polking, D.S. Wild, J. Perczel, N.P. de Leon, M.D. Lukin, H. Park, Visible-frequency hyperbolic metasurface, *Nature* 522 (7555) (2015) 192–196, <http://dx.doi.org/10.1038/nature14477>.
- [31] A.V. Kildishev, A. Boltasseva, V.M. Shalae, Planar photonics with metasurfaces, *Science* 339 (6125) (2013) 1289, <http://dx.doi.org/10.1126/science.1232009>.
- [32] J. Huang, R.B. Kaner, Flash welding of conducting polymer nanofibres, *Nat. Mater.* 3 (11) (2004) 783–786, <http://dx.doi.org/10.1038/nmat1242>.
- [33] A.U. Zillohu, R. Abdelaziz, M.K. Hedayati, T. Emmmer, S. Homaieghar, M. Elbahri, Plasmon-mediated embedding of nanoparticles in a polymer matrix: nanocomposites patterning, writing, and defect healing, *J. Phys. Chem. C* 116 (32) (2012) 17204–17209, <http://dx.doi.org/10.1021/jp3016358>.
- [34] I. Mingareev, F. Weirauch, A. Olowinsky, L. Shah, P. Kadwani, M. Richardson, Welding of polymers using a 2 μm thulium fiber laser, *Opt. Laser Technol.* 44 (7) (2012) 2095–2099, <http://dx.doi.org/10.1016/j.optlastec.2012.03.020>.
- [35] E. Gottlieb, H. Qian, R. Jin, Atomic-level alloying and de-alloying in doped gold nanoparticles, *Chem. Eur. J.* 19 (13) (2013) 4238–4243, <http://dx.doi.org/10.1002/chem.201203158>.
- [36] A. Wittstock, V. Zielasek, J. Biener, C. Friend, M. Bäumer, Nanoporous gold catalysts for selective gas-phase oxidative coupling of methanol at low temperature, *Science* 327 (5963) (2010) 319–322, <http://dx.doi.org/10.1126/science.1183591>.
- [37] D.A. Panayotov, A.I. Frenkel, J.R. Morris, Catalysis and photocatalysis by nanoscale Au/TiO<sub>2</sub>: perspectives for renewable energy, *ACS Energy Lett.* 2 (5) (2017) 1223–1231, <http://dx.doi.org/10.1021/acsenenergylett.7b00189>.
- [38] M. Keshavarz Hedayati, M. Elbahri, Antireflective coatings: conventional stacking layers and ultrathin plasmonic metasurfaces, a mini-review, *Materials* 9 (6) (2016) 497, <http://dx.doi.org/10.3390/ma9060497>.
- [39] J. Ayres, W. Simendinger, C. Balik, Characterization of titanium alkoxide sol-gel systems designed for anti-icing coatings: I. Chemistry, *J. Coat. Technol. Res.* 4 (4) (2007) 463–471, <http://dx.doi.org/10.1007/s11998-007-9054-8>.



**Xiaolong Zhu** obtained his PhD degree (2014) from the Technical University of Denmark, where he is currently a postdoctoral fellow, being supported by the VILLUM Experiment program. Among various honors, he received the Chinese Government Award for Outstanding Self-financed Students Abroad from the Chinese Ministry of Education.



**Mehdi Keshavarz Hedayati** obtained his PhD degree (2014) from the University of Kiel and he is currently a Marie Skłodowska-Curie Fellow at the Technical University of Denmark. Among various honors, he received the DGM-Nachwuchspreis from the German Materials Society.



**Søren Raza** is an assistant professor at the Technical University of Denmark, where he also obtained his PhD degree (2014). After his PhD, he was a postdoctoral fellow at the University of Southern Denmark and later Stanford University. Among various honors, he was awarded the 2015 Thesis Prize for “Fundamental Aspects” by the European Physical Society.



**Uriel Levy** is a faculty and director of the Center for Nanoscience and Nanotechnology at the Hebrew University of Jerusalem. He obtained his PhD (2002) from Tel Aviv University and he was subsequently a postdoctoral fellow at University of California, San Diego. He is the author of more than 120 papers in peer-review journals, including pioneering works on metasurfaces and plasmonics. He is an ERC grantee and a fellow of OSA.



**Anders Kristensen** is a faculty at the Technical University of Denmark. He obtained his PhD (1994) from University of Copenhagen and he was subsequently a postdoctoral fellow at the Royal Holloway and Bedford New College, University of London. He is the author of more than 180 papers in peer-review journals, including pioneering works on optofluidics and plasmonic colors. He has been heading various national and european projects, including the EU funded <http://www.plast4future.eu>.



**N. Asger Mortensen** is a VILLUM Investigator at the Center of Nano Optics, while also holding a chair of technical sciences at the Danish Institute for Advanced Study, both at the University of Southern Denmark. He obtained his PhD (2001) and Dr. Techn. (2006) degrees from the Technical University of Denmark. He is the author of more than 220 papers in peer-review journals, including pioneering works on nonlocal plasmonics and plasmonic colors. He is a fellow of APS, OSA and SPIE.